









The Ventus Louvre Loc offers a convenient, easy to use method in securing your louvres when in the closed position.

It works just like a window, the Louvre Loc lets you close then lock the louvres for security and peace of mind. Louvre Loc is available for 152mm Series & 102mm Series of Ventus Louvre Systems.

Designed in Australia by Doric, the Louvre Loc fits within the existing Ventus louvre system without any modifications other than drilling the channel for mounting the lock.

ADVANTAGES



Easy to use - a simple turn of the snib key secures the louvres when shut.



Removable Snib - Unique Australian design turns the snib lock into a removable key for added security.



Key Compatibility - Operates with Snib Key or Doric C4 key profile.




Smart innovative design - An Australian design by Doric, assuring the highest quality and standards.



Colour matched to channels - when ordered together with louvre galleries.





COLOUR OPTIONS



SATIN BLACK



PEARL WHITE



SILVER



MONUMENT



SURFMIST



CUSTOM ON REQUEST



VENTUS | LOUVRE LOC

102mm SERIES LOUVRE LOC

For the 102mm Series Louvre the Louvre Loc is fitted above the handle. When engaged, the locking arm slides down to obstruct and lock the handle.



COMPATIBLE HANDLES:

• Low Profile • Ring Pull



GALLERY CLOSED LOCKED POSITION SNIB KEY IN



GALLERY CLOSED UNLOCKED POSITION SNIB KEY OUT



GALLERY OPEN UNLOCKED POSITION SNIB KEY IN

152mm SERIES LOUVRE LOC

The 152mm Series Louvre, the Louvre Lock is located below the louvre handle, operating the red locking arm inside the channel that slides up to obstruct and lock the handle in place.



COMPATIBLE HANDLES:

Low Profile
Ring Pull



GALLERY CLOSED LOCKED POSITION SNIB KEY IN



GALLERY CLOSED UNLOCKED POSITION SNIB KEY OUT



GALLERY OPEN UNLOCKED POSITION SNIB KEY IN



Installation Video:

YouTube:

102 Louvre Loc Overview & Installation



Installation Video:

YouTube:

152 Louvre Loc Overview & Installation



Established in 1974, Alspec is the market leaders in the design and distribution of innovative aluminium systems to the architectural, industrial and home improvement markets.



HEAD OFFICE | 3 Alspec Place Eastern Creek NSW 2766

Phone: 02 9834 9500 | Fax: 02 9834 9532 | info@alspec.com.au

1 March 2024

Call 1300 ALSPEC (257732) | alspec.com.au

All pictures shown in this catalogue are for illustration purposes only. Actual product may vary due to product enhancement.

