



ECO-GARD SECURITY SCREENS



*Where affordability
meets peace of mind*



WHY CHOOSE ECO-GARD™?

Eco-Gard™ is a bespoke and affordable security screen solution by Alspec – an Australian-owned, market leader for over 50 years in the design of innovative aluminium systems to the architectural, residential, commercial, industrial and home improvement markets.

The frame has been designed and tested to make it a more affordable option whilst not compromising performance, ensuring security is available to all Australians.



Eco-Gard™ incorporates Optimised High-Performance Stainless Steel Mesh. Exclusive to Alspec, it is a unique proprietary product offering significant cost savings without compromising performance.



The standard mesh in Eco-Gard™ is not ideal for coastal locations. We recommend using Alspec 316 stainless mesh for coastal locations.



Eco-Gard™ underwent a number rigorous of tests under the Security Testing Australian Standard AS5039-2008.



Dynamic Impact Test

This test simulates an intrusion attempt, evaluating the screen's ability to withstand forceful entry.



Jemmy Test

This test simulates an intrusion attempt, where an intruder employs a lever to test the screen's resilience in preventing the opening of locking areas on the frame.



Knife Shear Test

This test assesses tensile strength by subjecting the mesh to multiple incisions with a knife.

ECO-GARD™ RANGE

Eco-Gard™ Security Screens are primarily designed for front door security. However they are suitable for a wide range of residential applications including:




Hinged Doors



Sliding Doors



Sliding Windows



Heta 
HARDWARE BY ALSPEC

Hardware Options

The Heta hardware range is a blend of contemporary design and functionality. The curved design features are soft to touch and create seamless operating movements. A stylish and cost-effective solution. Perfect for securing your home.



Hinge door lock



Sliding door lock

Available in powdercoat colours



CARE & MAINTENANCE

The Eco-Gard™ Security Screen frame is the product of extensive research and development and designed to resist corrosion and rusting, but as with all external elements on the building require some maintenance to keep them looking good and performing well. Depending on how harsh the environment is, the maintenance period will vary. Refer to recommended maintenance table.

Your Eco-Gard™ Security Screen should only ever need to be washed down with a soft bristled brush using warm water and mild detergent. Rinse well with fresh water and remove any detergent residue. Strong detergents and abrasive cleaners should never be used to clean the Eco-Gard™ Security Screen as they may scratch or damage the surface finish.



ENVIRONMENT	RECOMMENDED MAXIMUM MAINTENANCE INTERVAL
Mild	Six Months
Moderate	Three Months
Tropical/Severe	One Month

ACCESSORY OPTIONS

You can accessorise your security screen door. Ask your Alspec Security Solution Dealer for more information.


Pet doors are a great idea for the comfort of your pets and the pet owner. But how secure are they?

Once a pet door is installed into any security window or door, it can no longer be classified as a security product. This is because the opening created for your pet to pass in and out of, exceeds the maximum allowable aperture in the infill material (stainless mesh) nominated under AS1539-2008.

It is now classified as a barrier door.



ACCREDITED MEMBER:



AUSTRALIAN
**GLASS &
WINDOW**
ASSOCIATION



**SECURITY
SCREEN**
ASSOCIATION





YOUR LICENSED SECURITY SOLUTIONS DEALER:



1300 ALSPEC (1300 257 732)
alspec.com.au

Where affordability
meets peace of mind



alspec.com.au

ACCREDITED MEMBER:



AUSTRALIAN
GLASS &
WINDOW
ASSOCIATION



SECURITY
SCREEN
ASSOCIATION